WEST

Generate Collection | Print

**Search Results** - Record(s) 1 through 15 of 15 returned.

1. Document ID: US 6468336 B1

L12: Entry 1 of 15 File: USPT Oct 22, 2002

US-PAT-NO: 6468336
DOCUMENT-IDENTIFIER: US 6468336 B1

TITLE: Water-borne zinc silicate shop primers

DATE-ISSUED: October 22, 2002

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|---|---|---|---|---|
| Fiedler; Helle | Copenhagen | | | DK |
| Jensen; Dorte Jeanette | Ebriechsdorf | | | AT |
| Hansen; Ulla Kirsten Neestrup | Copenhagen | | | DK |
| Musaeus; Gruska Elisabeth Folkmann | Virum | | | DK |

US-CL-CURRENT: 106/14.21; 106/14.12, 106/286.8, 106/287.1, 106/600

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Image

2. Document ID: US 5151121 A

L12: Entry 2 of 15 File: USPT Sep 29, 1992

US-PAT-NO: 5151121
DOCUMENT-IDENTIFIER: US 5151121 A

TITLE: Silicate binders

DATE-ISSUED: September 29, 1992

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|---|---|---|---|---|
| Griffiths; Thomas | Warrington | | | GB2 |

US-CL-CURRENT: 106/600; 106/38.3, 219/145.23

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Image

3. Document ID: US 4638213 A

L12: Entry 3 of 15 File: USPT Jan 20, 1987

US-PAT-NO: 4638213
DOCUMENT-IDENTIFIER: US 4638213 A

TITLE: CRT with internal contact stripe or patch and method of making said stripe or patch

DATE-ISSUED: January 20, 1987

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|---|---|---|---|---|
| Deal; Samuel B. | Lancaster | PA | | |
| Bartch; Donald W. | Wrightsville | PA | | |

US-CL-CURRENT: 313/479; 313/477R, 313/480

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw. Desc | Image

---

4. Document ID: US 4410413 A

L12: Entry 4 of 15 File: USPT Oct 18, 1983

US-PAT-NO: 4410413
DOCUMENT-IDENTIFIER: US 4410413 A

TITLE: Cathode for electrolytic production of hydrogen

DATE-ISSUED: October 18, 1983

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|---|---|---|---|---|
| Hall; Dale E. | Monroe | NY | | |

US-CL-CURRENT: 204/290.01; 204/290.13, 204/291

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw. Desc | Image

---

5. Document ID: US 4294806 A

L12: Entry 5 of 15 File: USPT Oct 13, 1981

US-PAT-NO: 4294806
DOCUMENT-IDENTIFIER: US 4294806 A

TITLE: Method for preventing the wear of a monolithic catalyst by dusts

DATE-ISSUED: October 13, 1981

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|---|---|---|---|---|
| Abe; Kazunobu | Izumi | | | JP |
| Tamura; Shoichi | Sakai | | | JP |
| Nakatsuji; Tadao | Matsubara | | | JP |

US-CL-CURRENT: 423/239.1; 422/170, 422/177, 422/180, 428/116, 502/527.18, 502/527.19, 502/527.23

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw Desc | Image

---

6. Document ID: US 4121942 A

L12: Entry 6 of 15 File: USPT Oct 24, 1978

US-PAT-NO: 4121942
DOCUMENT-IDENTIFIER: US 4121942 A

TITLE: Molding method

DATE-ISSUED: October 24, 1978

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|---|---|---|---|---|
| Kato; Asamichi | Koga-City, Ibaragi-Pref. | | | JP |

US-CL-CURRENT: 106/617; 106/38.3, 106/38.35, 106/634, 264/82, 264/85

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw Desc | Image

---

7. Document ID: US 4011088 A

L12: Entry 7 of 15 File: USPT Mar 8, 1977

US-PAT-NO: 4011088
DOCUMENT-IDENTIFIER: US 4011088 A

TITLE: Anti-corrosive coating compositions

DATE-ISSUED: March 8, 1977

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|---|---|---|---|---|
| Makishima; Hiroshi | Tokohama | | | JA |
| Hoshino; Minoru | Yokohama | | | JA |
| Shinohara; Toshio | Fujisawa | | | JA |
| Nii; Hiroshi | Kamakura | | | JA |
| Hosoda; Minoru | Yokohama | | | JA |
| Hayashi; Toshiharu | Yokohama | | | JA |

US-CL-CURRENT: 106/1.17; 106/14.21, 106/287.1, 106/287.11, 106/287.18, 106/287.29, 106/623, 106/629

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw Desc | Image

---

8. Document ID: JP 58183928 A

L12: Entry 8 of 15 File: JPAB Oct 27, 1983

PUB-NO: JP358183928A
DOCUMENT-IDENTIFIER: JP 58183928 A
TITLE: REMOVAL OF OZONE IN OZONE-CONTAINING GAS

PUBN-DATE: October 27, 1983

INVENTOR-INFORMATION:

| NAME | COUNTRY |
|---|---|
| NISHINO, ATSUSHI | |
| SONEDAKA, KAZUNORI | |
| YOSHIDA, AKIHIKO | |
| TANAHASHI, ICHIRO | |

US-CL-CURRENT: 423/219
INT-CL (IPC): B01D 53/34; C01B 13/00

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

---

9. Document ID: JP 58061269 A

L12: Entry 9 of 15 File: JPAB Apr 12, 1983

PUB-NO: JP358061269A
DOCUMENT-IDENTIFIER: JP 58061269 A
TITLE: LOCALLY PREVENTING METHOD FOR NITRIDING IN SALT BATH

PUBN-DATE: April 12, 1983

INVENTOR-INFORMATION:

| NAME | COUNTRY |
|---|---|
| KAGAYA, TADAHARU | |
| FUJIKAWA, YUTAKA | |
| KASHIBE, MASAKAZU | |
| MOGI, AKIRA | |
| KIMURA, KAORU | |

US-CL-CURRENT: 427/314; 427/327
INT-CL (IPC): C23C 9/10

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

---

10. Document ID: JP 02142859 A

L12: Entry 10 of 15 File: DWPI May 31, 1990

DERWENT-ACC-NO: 1990-213249
DERWENT-WEEK: 199028

COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Inorganic paint with good resistance to water, heat, etc. - is obtd. by mixing phosphate(s), filler, lithium silicate binder, curing accelerator and pH regulator and grinding to paste

PRIORITY-DATA: 1988JP-0296919 (November 24, 1988)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 02142859 A | May 31, 1990 | | 000 | |

INT-CL (IPC): C09D 1/00

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Image

---

11. Document ID: US 4638213 A

L12: Entry 11 of 15 File: DWPI Jan 20, 1987

DERWENT-ACC-NO: 1987-042915
DERWENT-WEEK: 198706
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Internal contact patch or stripe for a cathode ray tube - comprises particulate silver in a lithium silicate binder

INVENTOR: BARTCH, D W; DEAL, S B

PRIORITY-DATA: 1980US-0195183 (October 8, 1980)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| US 4638213 A | January 20, 1987 | | 005 | |

INT-CL (IPC): H01J 31/00

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Image

---

12. Document ID: JP 56016038 A

L12: Entry 12 of 15 File: DWPI Feb 16, 1981

DERWENT-ACC-NO: 1981-26124D
DERWENT-WEEK: 198115
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Cooking utensil with hot-air circulating fan - surface-coated with inorganic polymer binder contg. oil decomposing catalyst

PRIORITY-DATA: 1979JP-0092053 (July 19, 1979)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 56016038 A | February 16, 1981 | | 000 | |

INT-CL (IPC): F24C 14/00; F24C 15/32

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

13. Document ID: JP 54040839 A JP 81025197 B

L12: Entry 13 of 15 File: DWPI Mar 31, 1979

DERWENT-ACC-NO: 1979-35869B
DERWENT-WEEK: 197919
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Coating steel with inorganic zinc-rich paint - after first soaking steel in water at above fifty degrees Celsius to give accelerated paint drying

PRIORITY-DATA: 1977JP-0108123 (September 7, 1977)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 54040839 A | March 31, 1979 | | 000 | |
| JP 81025197 B | June 10, 1981 | | 000 | |

INT-CL (IPC): B05D 7/14; C09D 5/10

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

14. Document ID: JP 53065655 A

L12: Entry 14 of 15 File: DWPI Jun 12, 1978

DERWENT-ACC-NO: 1978-52368A
DERWENT-WEEK: 197829
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Colour image receiving tube, for display etc. - using pigment-coated fluorescent particles, with lithium silicate as binder

PRIORITY-DATA: 1976JP-0140668 (November 25, 1976)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 53065655 A | June 12, 1978 | | 000 | |

INT-CL (IPC): H01J 9/22

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

15. Document ID: DE 1669246 B DE 1669246 A NL 148646 B

L12: Entry 15 of 15 File: DWPI Feb 21, 1974

DERWENT-ACC-NO: 1974-15648V
DERWENT-WEEK: 197409
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Lithium silicate binder for coating compsns - contg zinc powder, giving self hardening coatings useful, eg for painting steel

PRIORITY-DATA: 1965US-0445257 (April 2, 1965)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| DE 1669246 B | February 21, 1974 | | 000 | |
| DE 1669246 A | June 3, 1971 | | 000 | |
| NL 148646 B | February 16, 1976 | | 000 | |

INT-CL (IPC): C09D 1/02; C09D 5/10

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw. Desc | Image

Generate Collection | Print

| Term | Documents |
|---|---|
| LITHIUM.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 191125 |
| LITHIUMS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 578 |
| LITHIA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 833 |
| LITHIAS | 0 |
| SILICATE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 144856 |
| SILICATES.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 49636 |
| BINDER.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 354924 |
| BINDERS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 99453 |
| COAT$ | 0 |
| COAT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 192561 |
| (LITHIUM SILICATE NEAR BINDER AND COAT$).USPT,PGPB,JPAB,EPAB,DWPI,TDBD. | 15 |

There are more results than shown above. Click here to view the entire set.

**Display Format:** - Change Format

Previous Page Next Page

# WEST

Generate Collection | Print

**Search Results** - Record(s) 1 through 19 of 19 returned.

1. Document ID: US 20020127411 A1

L7: Entry 1 of 19 File: PGPB Sep 12, 2002

PGPUB-DOCUMENT-NUMBER: 20020127411
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20020127411 A1

TITLE: Composite material for metal gasket

PUBLICATION-DATE: September 12, 2002

INVENTOR-INFORMATION:

| NAME | CITY | STATE | COUNTRY | RULE-47 |
|---|---|---|---|---|
| Murakami, Yasunori | Saitama Pref. | | JP | |
| Tsuchiya, Hitomi | Saitama Pref. | | JP | |
| Mitsuyama, Naomichi | Saitama Pref. | | JP | |

US-CL-CURRENT: 428/423.9; 428/327, 428/408, 428/422, 428/424.8, 428/462, 428/465

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw. Desc | Image

2. Document ID: US 20020089126 A1

L7: Entry 2 of 19 File: PGPB Jul 11, 2002

PGPUB-DOCUMENT-NUMBER: 20020089126
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20020089126 A1

TITLE: Compound sheet gasket

PUBLICATION-DATE: July 11, 2002

INVENTOR-INFORMATION:

| NAME | CITY | STATE | COUNTRY | RULE-47 |
|---|---|---|---|---|
| Murakami, Yasunori | Wako-shi | | JP | |
| Takagi, Yoshiari | Wako-shi | | JP | |
| Hiramatsu, Takeshi | Wako-shi | | JP | |
| Matsubara, Toshihiko | Kawagoe-shi | | JP | |
| Matsubara, Hiroko | Kawagoe-shi | | JP | |
| Deguchi, Noriyuki | Saitama-shi | | JP | |
| Hamada, Yoshiaki | Saitama-shi | | JP | |

US-CL-CURRENT: 277/654

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC
Draw Desc | Image

---

3. Document ID: JP 2002130480 A

L7: Entry 3 of 19 File: JPAB May 9, 2002

PUB-NO: JP02002130480A
DOCUMENT-IDENTIFIER: JP 2002130480 A
TITLE: COMPOSITE MATERIAL FOR METAL GASKET

PUBN-DATE: May 9, 2002

INVENTOR-INFORMATION:
NAME COUNTRY
MURAKAMI, YASUNORI
TSUCHIYA, HITOMI
MITSUYAMA, NAOMICHI
MATSUBARA, TOSHIHIKO

INT-CL (IPC): F16 J 15/08

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw Desc | Image

---

4. Document ID: JP 57027734 A

L7: Entry 4 of 19 File: JPAB Feb 15, 1982

PUB-NO: JP357027734A
DOCUMENT-IDENTIFIER: JP 57027734 A
TITLE: MANUFACTURE OF GASKET FOR VESSEL COVER EASY TO UNSEAL

PUBN-DATE: February 15, 1982

INVENTOR-INFORMATION:
NAME COUNTRY
MATSUDA, GUNJI
HIRANO, TORU
SATO, HIDEKI
MORI, FUMIO

US-CL-CURRENT: 264/345
INT-CL (IPC): B29D 31/00; B29C 25/00

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw Desc | Clip Img | Image

---

5. Document ID: DE 3905922 A1

L7: Entry 5 of 19 File: EPAB Aug 30, 1990

PUB-NO: DE003905922A1
DOCUMENT-IDENTIFIER: DE 3905922 A1
TITLE: Flat gasket, in particular cylinder head gasket

PUBN-DATE: August 30, 1990

INVENTOR-INFORMATION:

| NAME | COUNTRY |
|---|---|
| GIESEN, FRANZ-JOSEF | DE |
| MAJEWSKI, KLAUS-PETER DIPL ING | DE |
| ZERFASS, HANS-RAINER DR | DE |

US-CL-CURRENT: 277/595; 277/FOR.248
INT-CL (IPC): F02F 11/00; F16J 15/12
EUR-CL (EPC): F16J015/12

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Image

---

6. Document ID: DE 3618786 A1

L7: Entry 6 of 19 File: EPAB Dec 10, 1987

PUB-NO: DE003618786A1
DOCUMENT-IDENTIFIER: DE 3618786 A1
TITLE: Flat gasket, in particular for combustion engines

PUBN-DATE: December 10, 1987

INVENTOR-INFORMATION:

| NAME | COUNTRY |
|---|---|
| GIESEN, FRANZ-JOSEF | DE |
| LOENNE, KLAUS DIPL ING | DE |
| ZERFASS, HANS-RAINER DR | DE |
| MAJEWSKI, KLAUS-PETER DIPL ING | DE |

US-CL-CURRENT: 277/391; 277/FOR.248
INT-CL (IPC): F16J 15/12; F02F 11/00
EUR-CL (EPC): F16J015/12

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Clip Img | Image

---

7. Document ID: US 20020127411 A1 JP 2002130480 A

L7: Entry 7 of 19 File: DWPI Sep 12, 2002

DERWENT-ACC-NO: 2002-602146
DERWENT-WEEK: 200267
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Compound raw material for metallic gasket, has solid lubricant layer with preset coefficient of friction which is formed on rubber layer

INVENTOR: MITSUYAMA, N; MURAKAMI, Y ; TSUCHIYA, H

PRIORITY-DATA: 2000JP-0323546 (October 24, 2000)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| US 20020127411 A1 | September 12, 2002 | | 000 | B32B015/08 |
| JP 2002130480 A | May 9, 2002 | | 006 | F16J015/08 |

INT-CL (IPC): B32 B 5/16; B32 B 15/08; F16 J 15/08

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw Desc | Clip Img | Image

---

8. Document ID: EP 1008775 A2 IT 1303577 B

L7: Entry 8 of 19 File: DWPI Jun 14, 2000

DERWENT-ACC-NO: 2000-401926
DERWENT-WEEK: 200214
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Sealing device for use to seal an annular gap between the races of a rolling bearing comprises an elastomeric sealing gasket with a lip surface

INVENTOR: RUETTER, A; VIGNOTTO, A

PRIORITY-DATA: 1998IT-TO01036 (December 11, 1998)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| EP 1008775 A2 | June 14, 2000 | E | 009 | F16C033/78 |
| IT 1303577 B | November 14, 2000 | | 000 | F16C000/00 |

INT-CL (IPC): F16 C 0/00; F16 C 33/78

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw Desc | Clip Img | Image

---

9. Document ID: GB 2335198 A DE 69901294 E WO 9946339 A1 ZA 9901830 A AU 9925371 A EP 1062284 A1 GB 2335198 B EP 1062284 B1

L7: Entry 9 of 19 File: DWPI Sep 15, 1999

DERWENT-ACC-NO: 1999-496209
DERWENT-WEEK: 200241
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Gasket seal-enhancing coating, e.g. for gaskets used in IC engine exhausts

INVENTOR: ATKINSON, A W; BOND, S P ; TURLAND, D A

PRIORITY-DATA: 1998GB-0026737 (December 7, 1998), 1998GB-0004949 (March 10, 1998)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| GB 2335198 A | September 15, 1999 | | 012 | F16J015/10 |
| DE 69901294 E | May 23, 2002 | | 000 | C09D007/12 |
| WO 9946339 A1 | September 16, 1999 | E | 000 | C09D007/12 |
| ZA 9901830 A | October 27, 1999 | | 013 | C08L000/00 |
| AU 9925371 A | September 27, 1999 | | 000 | C09D007/12 |
| EP 1062284 A1 | December 27, 2000 | E | 000 | C09D007/12 |
| GB 2335198 B | November 28, 2001 | | 000 | F16J015/10 |
| EP 1062284 B1 | April 17, 2002 | E | 000 | C09D007/12 |

INT-CL (IPC): C04 B 14/20; C08 L 0/00; C09 D 7/12; F16 J 15/10; F16 J 15/12

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

---

10. Document ID: EP 896181 A1 FR 2767180 A1

L7: Entry 10 of 19 File: DWPI Feb 10, 1999

DERWENT-ACC-NO: 1999-123365
DERWENT-WEEK: 199914
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Sealed joint formed between e.g. two suitably-prepared concrete pipes - has resilient gasket with solid lubricant, mating with slide-on concrete surface saturated with glazing plastics to form smooth surface

INVENTOR: LEBLANC, F; LEBLANC, F C

PRIORITY-DATA: 1997FR-0010089 (August 6, 1997)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| EP 896181 A1 | February 10, 1999 | F | 015 | F16L021/03 |
| FR 2767180 A1 | February 12, 1999 | | 000 | F16L021/02 |

INT-CL (IPC): F16 J 15/10; F16 L 21/02; F16 L 21/03; F16 L 21/035

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Clip Img | Image

---

11. Document ID: EP 867645 A1 DE 19713053 C2 DE 19713053 A1

L7: Entry 11 of 19 File: DWPI Sep 30, 1998

DERWENT-ACC-NO: 1998-497968
DERWENT-WEEK: 199908
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Gasket, especially cylinder head gasket avoiding damage if elastomer layer delaminates - contains lubricant in adhesive used for bonding elastomer to metal layer and/or has lubricant or release layer between adhesive and top metal layer

INVENTOR: GRAFL, D; LEMM, M ; POPIELAS, F ; WEISS, A

PRIORITY-DATA: 1997DE-1013053 (March 27, 1997)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| EP 867645 A1 | September 30, 1998 | G | 005 | F16J015/12 |
| DE 19713053 C2 | January 28, 1999 | | 000 | F16J015/12 |
| DE 19713053 A1 | October 1, 1998 | | 000 | F16J015/12 |

INT-CL (IPC): C08 J 5/16; F02 F 11/00; F16 J 15/08; F16 J 15/12

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Image

---

12. Document ID: DE 4405864 A1

L7: Entry 12 of 19 File: DWPI Aug 24, 1995

DERWENT-ACC-NO: 1995-293903
DERWENT-WEEK: 199539
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Solid lubricant based on hexagonal boron nitride powder useful at high temp. - for screw, flanged and plug connections, e.g. spark plug, lambda probe or cylinder-head gasket

INVENTOR: MATJE, P; RECK, F ; ROEHLINGER, H

PRIORITY-DATA: 1994DE-4405864 (February 23, 1994)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| DE 4405864 A1 | August 24, 1995 | | 003 | C10M103/00 |

INT-CL (IPC): C01 B 21/064; C10 M 103/00

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw Desc | Image

---

13. Document ID: EP 506996 A1 DE 4110798 A

L7: Entry 13 of 19 File: DWPI Oct 7, 1992

DERWENT-ACC-NO: 1992-333331
DERWENT-WEEK: 199241
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Flat joint particularly cylinder-head gasket - is in layers sliding in relation to each other

INVENTOR: STECHER, F

PRIORITY-DATA: 1991DE-4111791 (April 11, 1991), 1991DE-4110798 (April 4, 1991)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| EP 506996 A1 | October 7, 1992 | G | 005 | F16J015/12 |
| DE 4110798 A | October 8, 1992 | | 003 | F16J015/12 |

INT-CL (IPC): C09K 3/10; F02F 11/00; F16J 15/08; F16J 15/12

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Clip Img | Image

14. Document ID: JP 04194463 A

L7: Entry 14 of 19 File: DWPI Jul 14, 1992

DERWENT-ACC-NO: 1992-281927
DERWENT-WEEK: 199234
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Ring gasket for high temp. systems e.g. car exhaust - comprises sheet shaped material of inorganic fibre, non-expanded vermiculite, inorganic binding material, natural organic fibre, etc. formed into ring and wound with metal

PRIORITY-DATA: 1990JP-0322330 (November 28, 1990)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 04194463 A | July 14, 1992 | | 009 | F16J015/12 |

INT-CL (IPC): B32B 1/00; B32B 9/00; D04H 1/42; D04H 1/58; F16J 15/12

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

15. Document ID: JP 01246434 A

L7: Entry 15 of 19 File: DWPI Oct 2, 1989

DERWENT-ACC-NO: 1989-329625
DERWENT-WEEK: 198945
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Composite linear material for packing and gaskets - comprises elastic fibre core coating layer contg. fine short fibre as layer of wound twine

PRIORITY-DATA: 1988JP-0069012 (March 22, 1988)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 01246434 A | October 2, 1989 | | 015 | |

INT-CL (IPC): D02G 3/36

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

16. Document ID: DE 3618786 A

L7: Entry 16 of 19 File: DWPI Dec 10, 1987

DERWENT-ACC-NO: 1987-349318
DERWENT-WEEK: 198750
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Flat gasket for IC engines - has all borders coated with solid plastic lubricant power in a plastic binder

INVENTOR: GIESEN, F J; LONNE, K ; MAJEWSKI, K P ; ZERFASS, H R

PRIORITY-DATA: 1986DE-3618786 (June 4, 1986)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| DE 3618786 A | December 10, 1987 | | 004 | |

INT-CL (IPC): F02F 11/00; F16J 15/12

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw. Desc | Image

---

17. Document ID: DE 3527833 A

L7: Entry 17 of 19 File: DWPI Feb 5, 1987

DERWENT-ACC-NO: 1987-038084
DERWENT-WEEK: 198706
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: IC engine gasket - with openings lined with matrix metal and dispersed solid lubricant additive

INVENTOR: MAJEWSKI, K P

PRIORITY-DATA: 1985DE-3527833 (August 2, 1985)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| DE 3527833 A | February 5, 1987 | | 004 | |

INT-CL (IPC): F01N 7/08; F02F 11/00; F16J 15/12; F16L 23/00

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC | Draw. Desc | Image

---

18. Document ID: JP 57027734 A JP 85035252 B

L7: Entry 18 of 19 File: DWPI Feb 15, 1982

DERWENT-ACC-NO: 1982-23046E
DERWENT-WEEK: 198212
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Easily tearable container lid gasket prodn. - by moulding olefin! resin-lubricant compsn. and treating at temp. below m.pt. of resin and lubricant

PRIORITY-DATA: 1980JP-0103158 (July 29, 1980)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 57027734 A | February 15, 1982 | | 011 | |
| JP 85035252 B | August 13, 1985 | | 000 | |

INT-CL (IPC): B29C 25/00; B29C 71/02; B29D 31/00; B29K 23/00; B29L 31/56; C08J 7/00

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

19. Document ID: JP 55113560 A

L7: Entry 19 of 19 File: DWPI Sep 2, 1980

DERWENT-ACC-NO: 1980-72708C
DERWENT-WEEK: 198041
COPYRIGHT 2003 DERWENT INFORMATION LTD
TITLE: Asbestos gasket - has fluorine-rubber coating surface layer to give excellent heat and chemical resistance

PRIORITY-DATA: 1979JP-0019648 (February 23, 1979)

PATENT-FAMILY:

| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
|---|---|---|---|---|
| JP 55113560 A | September 2, 1980 | | 000 | |

INT-CL (IPC): B32B 19/04; C09K 3/10; F16J 15/10

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC
Draw. Desc | Image

Generate Collection | Print

| Term | Documents |
|---|---|
| SOLID.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 1364025 |
| SOLIDS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 258829 |
| LUBRICANT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 163350 |
| LUBRICANTS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB. | 85620 |
| GASKET[DWPI,TDBD,EPAB,JPAB,USPT,PGPB] | 14714 |
| GASKETS[DWPI,TDBD,EPAB,JPAB,USPT,PGPB] | 1967 |
| ((GASKET[TI]) AND (SOLID ADJ LUBRICANT)).USPT,PGPB,JPAB,EPAB,DWPI,TDBD. | 19 |
| (SOLID LUBRICANT AND GASKET [TI]).USPT,PGPB,JPAB,EPAB,DWPI,TDBD. | 19 |

**Display Format:** - Change Format

Previous Page Next Page